



**ALWAYS READ LABEL INSTRUCTIONS
BEFORE OPENING OR USING**

Zincflo[®] Plus

LIQUID FERTILISER

GUARANTEED ANALYSIS:

Total Nitrogen (N) 56 g/L

Total Sulphur (S) 35 g/L

Zinc (Zn) 145 g/L

**A zinc based
fertiliser (chelated)
for seed treatment**



Contents: 10 L

UPL Australia Pty Ltd
Level 3, 70 Hindmarsh Square, Adelaide SA 5000
Tel: (08) 8112 0900 Fax: (08) 8112 0999

04/20/F

ZincfloPlus

LIQUID FERTILISER

SAFETY DIRECTIONS

This product is corrosive to skin and eyes. Avoid contact with eyes and skin. When opening the container and preparing the spray wear cotton overalls buttoned to the neck and wrists and elbow-length butyl rubber gloves and face shield or goggles. Wash hands after use. After each day's use, washgloves and face shield or goggles and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (telephone 13 11 26).

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet.

EXCLUSION OF LIABILITY

This product must be used strictly as directed, and in accordance with all instructions appearing on the label and in other reference material. So far as it is lawfully able to do so, UPL Australia Pty Ltd accepts no liability or responsibility for loss or damage arising from failure to follow such directions and instructions.

Additional statements required by Globally Harmonised System for classification and labelling of chemicals (GHS) and Safe Work Australia:

Harmful if swallowed. May cause respiratory irritation.

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area. IF

SWALLOWED: Call a POISON CENTER or

doctor/ physician if you feel unwell. Rinse

mouth. IF INHALED: Remove victim to

fresh air and keep at rest in a

position comfortable for breathing.

Call a POISON CENTER or doctor/


physician if you feel unwell. IF IN EYES:

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do.

Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

* Zincflo is a registered trademark of Arysta LifeScience Australia Pty Ltd.



GENERAL INSTRUCTIONS

Recommended Application Rates:

Apply to wheat, barley and oat seed at the rate of 3 L/tonne of seed.

Apply to corn seed at the rate of 4 L/tonne of seed.

METHOD OF APPLICATION

Zincflo Plus may be applied in conjunction with other compatible seed treatments, however it must be applied through a separate dosage system.

Agitate the container thoroughly before use. Care should be taken to calibrate the machine accurately to obtain an evenly applied correct dosage. Zincflo Plus may be diluted 1 part product to 1 part water prior to application if required. If applying in conjunction with other seed treatment products, ensure that a total volume of 6 L/tonne of seed is not exceeded. Mix thoroughly before use. Ensure that all equipment is cleaned thoroughly both before and after applying this product.

COMPATIBILITY

Zincflo Plus is suitable for co-application with many commercial seed treatments. For further details contact UPL Australia Pty Ltd. Do not premix Zincflo Plus with any seed treatment products, as chemical degradation may occur.

STORAGE OF TREATED SEED

Seed treated with Zincflo Plus should be sown in the season of application. Although Zincflo Plus has no effect on the storage life of treated seed, the subsequent germination and performance of such seed may be adversely affected by physical storage conditions.

STORAGE AND DISPOSAL

Keep out of reach of children. Store in the closed, original container in a dry, cool, well-ventilated area, out of direct sunlight and extremes of temperature.

This container can be recycled if it is clean, dry, free of visible residues and has the drumMUSTER logo visible. Triple-rinse container for disposal. Dispose of rinsate by adding it to the spray tank. Do not dispose of undiluted chemical on site. Wash outside of the container and the cap. Store cleaned container in a sheltered place with cap removed. It will then be acceptable for recycling at any drumMUSTER collection or similar container management program site. The cap should not be replaced, but may be taken separately.

UN NO. 3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (CONTAINS ZINC NITRATE/ZINC SULPHATE) MARINE POLLUTANT

In a Transport
Emergency Dial
000

Police or Fire Brigade

PG. III

SPECIALIST ADVICE
IN EMERGENCY ONLY
1800 033 111

ALL HOURS – AUSTRALIA WIDE

HAZCHEM • 3Z



9 322524 067620

Batch No:

DOM: